

GAS & ELECTRIC APPLIANCES 2024/25

Exquisite fires for elegant homes

Contents

All about Wildfire 4-5									
Gas Fires									
Some things you need to know6-7									
Function and Performance 8-9									
RAVEL High Efficiency (Glass Fronted) Gas Fires									
Ravel 1500 Media Suite (Balanced Flue)10-11 for homes with no flue									
Ravel 1720 Media Suite (Balanced Flue)12-13 for homes with no flue									
Ravel 750 (Asti 750 Suite) Limestone14-15 for standard flues									
Ravel 750 (Valentia Suite) Micro Marble16-17 for standard flues									
Ravel 800 (Asti 800 Suite) Limestone18-19 for standard flues									
Ravel 800 (Siena Suite) Micro Marble20-21 for standard flues									
Ravel 800 (HIW) 22-23 for standard flues									

Ravel 800BF (Asti BF 800 Suite) Limestone24-25 for standard flues
Ravel 600 (Asti 600 Suite) Limestone 26-27 for standard flues
Ravel 600 (Amalfi Suite) Micro Marble 28-29 for standard flues
Ravel 600 (HIW)
Ravel 600BF (Asti BF 800 Suite) Limestone32-33 for standard flues
Ravel 550 (Emelia Suite) Micro Marble 34-35 for standard flues
Ravel 550 HE Inset Stove (Emelia Suite)36-37 for standard flues
Ravel 400 HE (Salvador Suite)
Ravel 400 Inset Stove (Salvador Suite)40-41 for standard flues
Ravel 400 HE (HIW) 42-43 for standard flues
Ravel 400 HE (Balanced Flue)44-45 for homes with no flue
Ravel 400C Gas Stove

Ravel 400T Gas Stove (Asti 750 Chamber Suite)for standard flues	48-49
Ravel 400 BF Gas Stoves	50-51
Standard High Effic (Glass Fre Gas Fires	ciency onted)
BF960SL (Balanced Flue)for homes with no flue	52-53
Thermes (Balanced Flue)for homes with no flue	54-55
Ellipsis (HIW / Hearth Mount) A range of options featuring the Ellipsis	
HE950L (Asti Suite)	58-59
HE950L (Seville Suite) for standard and precast flues	60-61
HE900 (Avellino Suite) for standard and precast flues	62-63
Cressida HEfor standard flues	64-65
Pesaro HE Slimline	66-67

for standard and precast flues

Open Fronted Gas Fires
Cavello XE 68-69 Full Depth Convector Open Fronted for standard flues
Montese (Cadiz Suite)70-71 Radiant full Depth Open Fronted for standard and precast flues
Ceralis (Salerno suite)
Trim Options & Technical Information for Gas Fires
Trim Options
Technical information for all gas appliances

	Electric Fires
Open Fronted Gas Fires	Some things you need to know
	Ele Fir Sui
epth Open Fronted for	HE 900E (Avellino Suite)for Flat Wall installation
rno suite)72-73	HE 950LE (Seville Suite)for Flat Wall installation
n Fronted for standard & precast flue.	Panama E22 (Salvador Suite). Widescreen Electric Fireplace
Trim Options & Technical Information for Gas Fires	Ravel E16 (Salvador Suite)
n for your Gas Fire	

		Triii Options
ome things you need to kno	w76-77	& Technical Information for Electric Fires
Fi	ectric replace vites	Trim Options
E 900E (Avellino Suite)or Flat Wall installation	78-79	Electric Fireplace Suites
E 950LE (Seville Suite)	80-81	

.. 82-83

... 84-85

2 | CONTENTS CONTENTS 3

Exquisite fires for elegant homes

Wildfire are dedicated to the design and manufacture of innovative and attractive fireplaces for British homes. At Wildfire we are committed to providing the highest quality heating products with a proven performance. Our innovative range of gas and electric fireplace suites have been tested to comply with the latest British and European standards and are manufactured in an ISO certified factory.



Wildfire are a multi award winning gas appliance manufacturer.

The HE950L Seville Suite was named not only Gas fireplace suite of the year, but also 'Product of the Year' at the Hearth and Home exhibition.

New for the 2024/2025 are the impressive Ravel 600 Balanced Flue (Asti Suite) and the 950L (Asti Suite). Contact your dealer for a demonstration.

The Wildfire gas product range includes many products which have been designed and approved with efficiency at their core. In a world where energy costs have soared we believe it is important to obtain the absolute maximum from your heating appliance.

With this in mind the net efficiency of Wildfire open fronted gas fires are up to 62% and the glass fronted fires up to 87.2%. So when you purchase a Wildfire heating product you can be confident that you will be installing a product that will deliver in all installation scenarios. Here at Wildfire we are devoted to innovative design whilst maintaining maximum functionality. All Wildfire slide control gas fires feature the latest patented Direct Slide technology.

Wildfire is the premier gas and electric appliance brand from Hearth Products Limited. Hearth Products has been actively involved in design and technology for the fireplace industry across the globe since 2003. Our product technologies have been used in products across Europe, Australia and North America.



See full details of our product range at either www.wildfiregas.co.uk or www.wildfireelectric.co.uk

4 | ALL ABOUT WILDFIRE | 5

Some things you need to know

Do I need a Convector or a Radiant Gas Fire?

It is important to know the difference between Radiant heat and Convected heat.

Radiant heat. In short, Radiant heat is emitted from all Wildfire appliances. This type of heat is actually infrared and heats objects in the room. Radiant heat is considered to be the most comfortable and natural form of heat.

Convected heat warms the air in the room. By passing the cooler air which enters the appliance at the bottom, through a heat exchanger, it warms up, then emits the hotter air back into the room from the top of the appliance.

Do I need a Glass Fronted Gas Fire?

A glass fronted fire will be more efficient and therefore more cost effective to run. Glass fronted appliances are usually more expensive to buy.

In general terms, it is usually more cost effective to purchase a glass fronted appliance if it is to be used more regularly as the efficiency savings will provide a quicker payback for the more expensive appliance. It is also important to remember that a glass fronted appliance will normally provide a similar amount of heat to an open fronted appliance, however, as it is more efficient, it is cheaper to run.




We guarantee* our gas fire products for a period of 5 years from installation and our customer service staff are always on hand to help you with any query you may have with your product.

Our 5 year limited guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.



What type of flue do I have?



You will need to know what type of flue you have in your home. You will see these icons on each product page which will show if the appliance is suitable for your property. It may be that you have a Brick Chimney (otherwise known as a Class 1 flue), a Pre-Fabricated Metal System (which can be a Class 1 or Class 2 flue) or a Pre-Cast Flue (a flue which is built into the inner brickwork of your home). If you do not have a chimney or flue system in your home then you will need to look for a balanced flue gas fire which, if you already have a balanced flue gas fire in the property, is usually indicated by a flue terminal concealed within a basket on the outside of the property.

What control options are available?



Manual Control



Slide Control



Manual Electronic Control

All Wildfire products are available with a Direct Slide option giving you the ease of reliable and simple operation. The slide control provides ignition, flame control and turns the fire off when you're finished. Most of the Wildfire range is available in manual control too — these fires have a removable cover at the base of the fire where the rotary control and igniter are situated.

Wildfire have now introduced electronic ignition on the majority of the manual control range.



What type of gas do I need?





Propane

Wildfire products available in LPG: Ravel 400 (CF) Ravel Stove 400C (CF) Ravel Stove 400T (CF)

Ravel 600 (CF)

Wildfire

appliances are

all available in

natural gas.

Function & Performance

O.D.S

The Oxygen Depletion Sensor will automatically shut off the gas supply to the burner if the oxygen level in the room falls below a particular level. This is important as it will turn off the appliance should the flue become blocked or a lack of ventilation occurs.


F.S.D

The Flame Supervision Device is designed to sense the presence of a flame. Should the flame be extinguished for any reason then the safety device will cut off the supply of gas to the burner.

Optional Ezi-Grip Handle



Most Wildfire appliances can be fitted with an elderly/infirm handle to ease the lighting operation. This larger handle is much easier to access and move so if you think that this may be a requirement then talk to your retailer who will demonstrate the Ezi-Grip system. This handle is purchased as an accessory and is fitted at the point of installation of the appliance.







The Wildfire range is proud to now include a range of glass fronted high efficiency gas



Open fronted appliances are designed to operate with the revolutionary XE system which is only available from Hearth Products. This new efficiency system is designed to 'tune' the appliance to your fireplace flue, thereby ensuring you obtain the maximum output from the appliance.




Regulations demand that gas fires must be installed by a Registered Gas Safe Engineer. For further information regarding Gas Safe requirements contact Wildfire directly, where we will be happy to give you advice. Warranty will be void if the appliance is not fitted in accordance to these legal requirements.



8 | GAS FIRES | FUNCTION & PERFORMANCE | GAS FIRES | 9









Heat Output

Heat Output


4.35kW

ENERGY EFFICIENCY CLASS E

The Ravel 1500 MW fire provides an astonishing solution for a gas media wall.

This balanced flue appliance will provide the heart to your media wall. With impressive heat and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel Media Wall fire is a powerhouse of heat.

DIMENSIONS







- C) 1538mm D) 650mm
- E) 1473mm
- F) 407mm
- G) 27-60mm
- H) 120mm
- I) 703mm
- J) 13mm K) 498mm
- L) 355mm
- M) 339mm N) Ø116mm
- O) 253mm
- P) Ø230mm
- Q) 535mm
- R) 521-766mm
- S) 1623mm
- T) 825mm
- U) 260mm

TRIM DIMENSIONS




- A) 1481mm
- B) 415mm





GAS CONSUMPTION

75% EFFICIENCY










4.35kW

ENERGY EFFICIENCY CLASS E

The Ravel 1720 MW fire provides a wider version of the 1500MW suitable for the larger sized TV.

This balanced flue appliance will provide the heart to your media wall. With a massive heat output and an unrivalled flame picture, the fuel bed is intricately detailed to reveal the perfect log fire. A convection system forces cooler air through the side grills and up through side outlets at the top of the chimney breast, or through a stylish linear outlet above the television. The installation allows all the unsightly cables to be concealed whilst delivering a stylish and functional media wall to your home. Spot heating with a gas appliance is the most cost effective method to heat a room, allowing the central heating boiler to be turned off for longer periods...the Ravel 1720 Media Wall fire is a powerhouse of heat combined with ultra realism.



- A) 1831mm B) 667mm
- G) 27-60mm
 - H) 120mm
 - I) 703mm
- C) 1538mm D) 650mm E) 1711mm

F) 407mm


- J) 13mm K) 498mm L) 355mm
- N) Ø116mm T) 1711mm
- O) 253mm U) 104mm P) Ø230mm V) 825mm
- Q) 535mm W) 260mm
- R) 521-766mm

TRIM DIMENSIONS



A) 1721mm B) 415mm

LINEAR VENT DIMENSIONS



- A) 1450mm
- G) 38mm
- H) 11.5-16.5mm
- C) 1772mm F) Ø116mm
- I) 1627.5mm

12 GAS FIRES RAVEL 1720 MW F17

J) 182mm



FUEL









FLUE OPTIONS









WATCH VIDEO

Scan QR Code

3.5kW

GAS CONSUMPTION











Heat Output Heat Output

ENERGY EFFICIENCY CLASS E


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 750 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Asti suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

Dimensions

STANDARD






A) 748mm
















F) 747mm

MANTEL DIMENSIONS




A) 1300mm

B) 1120mm

C) 1280mm

D) 60mm



EDGE TRIM

- G) 702mm H) 740mm
- I) 70mm

STANDARD TRIM

- G) 741mm
- H) 756mm
- I) 40mm

J) 160mm

K) 45mm

E) 820mm

F) 840mm

RAVEL 750 | GAS FIRES | 15



STANDARD MANTEL FINISH OPTIONS Brick Pre-Fabricated

GAS CONSUMPTION

78% EFFICIENCY





Heat Output

Heat Output (Low)

3.5kW

ENERGY EFFICIENCY CLASS E

WATCH VIDEO

Scan QR Code


The Ravel 750 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.


The Ravel 750 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The graceful and ingenious burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Valentia micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 750 Valentia suite is the culmination of years of research, development and manufacturing excellence, producing the ultimate gas log fire.

Dimensions


STANDARD





- A) 807mm B) 770mm
- C) 10mm
- D) 280mm
- E) 736mm
- F) 747mm

MANTEL DIMENSIONS



- A) 1370mm B) 1150mm
- C) 1370mm
- D) 65mm
- E) 874mm
- F) 928mm
- G) 702mm
- H) 740mm
- I) 65mm
- J) 170mm
- K) 50mm L) 100mm
- M) 300mm

Note: The Valentia marble suite is only available to suit the Edge style trim as shown.

16 GAS FIRES RAVEL 750 F15





FUEL BED









FLUE OPTIONS









WATCH VIDEO

Scan QR Code

GAS CONSUMPTION





Heat Input







Heat Output

Heat Output

2.9kW

ENERGY EFFICIENCY CLASS E

The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with it's stunning fuel bed layout.

The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.


Shown here in the Asti Limestone surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

Dimensions

STANDARD

EDGE





D) 278mm








L) 155mm

M) 300mm



- B) 415mm
- C) 18-32mm D) 278mm
- E) 439mm
- F) 797mm

MANTEL DIMENSIONS



- A) 1307mm
- E) 594mm F) 927mm B) 864mm
- C) 1307mm J) 140mm
- K) 50mm D) 60mm

EDGE TRIM

- G) 406-408mm
- H) 790-792mm
- I) 124mm

STANDARD TRIM

- G) 444-446mm
- H) 806-808mm
- I) 95mm









Log





Natural Gas



WATCH VIDEO



Scan QR Code

FLUE OPTIONS













75% EFFICIENCY

GAS CONSUMPTION









Heat Output (High)

2.9kW

Heat Output (Low)


ENERGY EFFICIENCY CLASS E


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

Shown here in the Siena Micro marble surround, this fire is available with two trim styles, the Edge trim, for the sleek trimless look or the conventional style Standard trim.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Dimensions








- A) 798mm
- D) 278mm
- E) 439mm
- F) 797mm

STANDARD



- A) 857mm
- B) 474mm
- C) 10mm
- D) 278mm E) 439mm

F) 797mm


EDGE TRIM G) 406-408mm

H) 790-792mm I) 119mm

I) 90mm

STANDARD TRIM G) 444-446mm H) 806-808mm

MANTEL DIMENSIONS



- A) 1370mm B) 875mm
- E) 614mm F) 928mm
- C) 1370mm J) 145mm
- K) 50mm D) 65mm
- L) 155mm M) 300mm

RAVEL 800 | GAS FIRES | 21









FUEL

FLUE OPTIONS








Scan QR Code

WATCH VIDEO

GAS CONSUMPTION

75% EFFICIENCY

2.9kW









ENERGY EFFICIENCY CLASS E


The Ravel 800 is one of the most exciting developments from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.


Shown here installed with the Ravel 800 Edge trim directly into a fireplace wall for a minimalistic look.

The Ravel 800 features the latest in under-log burner technology and is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Dimensions


EDGE






- B) 415mm
- E) 439mm F) 797mm

STANDARD





- A) 857mm B) 474mm
- D) 278mm
- E) 439mm F) 797mm



FUEL BED Natural Gas WATCH VIDEO

FLUE OPTIONS

Balanced Flue

Scan QR Code

GAS CONSUMPTION

78% EFFICIENCY



Heat Input







Heat Output


ENERGY EFFICIENCY CLASS E

The Ravel 800 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 800 (conventional flue).


The Ravel 800BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 800BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).

Dimensions



MANTEL DIMENSIONS



M) 340mm


- A) 1370mm
- F) 928mm B) 875mm J) 225mm
- C) 1370mm
- K) 155mm D) 60mm L) 105mm
- E) 614mm

- G) 406-408mm H) 790-792mm
- I) 119mm

RAVEL 800 BF | GAS FIRES | 25

24 GAS FIRES RAVEL 800 BF F19





The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

ENERGY EFFICIENCY CLASS E

Heat Output (Low)

Heat Output (High)


74% EFFICIENCY


The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here in the Asti 600 Limestone surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions








- B) 598mm
- D) 280mm
- E) 665mm F) 597mm

EDGE TRIM ONLY



- A) 1210mm B) 1032mm

Heat Output (Low)

76% EFFICIENCY

- G) 590mm H) 588mm
- C) 1220mm D) 60mm

E) 742mm

- I) 72mm

J) 145mm

F) 780mm

Note: The Asti 600 Limestone suite is only available to suit the Edge style trim as shown.

26 GAS FIRES RAVEL 600 F14

K) 45mm

L) 60mm

M) 380mm



Natural Gas Propane GAS CONSUMPTION - NATURAL GAS CONSUMPTION - LPG 4.7kW 6.7kW 4.4kW Heat Input (Low) Heat Input (Low) 2.9kW 4.6kW 2.8kW

The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is


The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

ENERGY EFFICIENCY CLASS E

Shown here in the Amalfi 600 micro marble surround, installed with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions









- B) 598mm
- E) 665mm
- D) 280mm F) 597mm

Heat Output (Low)

76% EFFICIENCY







K) 50mm

L) 65mm

M) 300mm

- F) 873mm
- B) 1080mm G) 590mm
- C) 1270mm D) 65mm
- H) 590mm E) 765mm
 - I) 72mm J) 170mm

Note: The Amalfi marble suite is only available to suit the

Edge style trim as shown.

28 GAS FIRES RAVEL 600 F14



Natural Gas Propane

WATCH VIDEO

4.4kW

FLUE OPTIONS









GAS CONSUMPTION - NATURAL



4.5kW



















ENERGY EFFICIENCY CLASS E

Heat Input (Low) 4.6kW 2.8kW

GAS CONSUMPTION - LPG

6.7kW

Heat Output (High) Heat Output (Low)

76% EFFICIENCY


The Ravel 600 joins the family of Ravel products from Wildfire. This glass fronted gas fire is suitable for both class 1 and class 2 flues.

The Ravel 600 features the latest in under-log burner technology is sure to impress with its stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame picture.

Shown here installed as a Hole in the Wall fire with the sleek Edge trim, for the trimless look. The Ravel 600 will fit nearly all masonry fireplace openings.

Dimensions

EDGE






E) 665mm

F) 597mm

A) 598mm

B) 598mm


STANDARD



- A) 747mm B) 747mm
- C) 10mm
- E) 665mm D) 280mm

F) 597mm






ENERGY EFFICIENCY CLASS E

The Ravel 600 BF is a new product designed to operate in buildings without chimneys or flues. This product follows in the footsteps of its extremely successful sister model the Ravel 600 (conventional flue).


The Ravel 600BF incorporates all of the features available on other Ravel products including underlog burner technology, turndown function allowing the rear burners to be turned off to retain flame picture on low and a reliable and easy to use slide control system.

Shown here in the Asti 600BF Limestone suite, this fire is only available with the Edge trim, for the sleek trimless look (supplied with product).

Dimensions



MANTEL DIMENSIONS





- A) 1210mm
- B) 1032mm
- C) 1220mm
- D) 60mm
- I) 72mm J) 255mm E) 742mm

F) 780mm

G) 590mm

H) 588mm M) 380mm

K) 155mm

L) 60mm

32 GAS FIRES RAVEL 600 BF F20 RAVEL 600 BF | GAS FIRES | 33





FUEL BED



SLIDE LEVER OPTIONS





STANDARD MANTEL

FINISH OPTIONS



Nickel

A) 614mm Trim Width

DIMENSIONS

Trim Height B) 611mm C) 560mm-580mm Back Panel Opening Width

D) 585mm-600mm Back Panel Opening Height

E) 76mm **Mantel Rebate**

Fire Width at Builders Opening F) 406mm

G) 565mm

Fire Height at Builders Opening Fire Depth into Builders Opening H) 117mm

GAS CONSUMPTION

Black





Black

RAVEL 550 HE TRIM OPTIONS



Black



85% EFFICIENCY





ENERGY EFFICIENCY CLASS D


Scan QR Code

The Ravel 550 log fire is a revolutionary product.


This wide format glass fronted gas appliance has the appeal of a European fire but the benefit of fitting into a standard 16" x 22" chimney builders opening. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned of independently to keep the flame picture alive when running on low.

This installation requires a back panel with specific opening sizes and a 75mm rebate. Normally an appliance of this stature would require building work and installation of a lintel. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

MANTEL DIMENSIONS







G) 400mm H) 75mm

I) 60mm

34 GAS FIRES RAVEL 550 HE F06 RAVEL 550 HE | GAS FIRES | 35





SLIDE LEVER OPTIONS

STANDARD MANTEL


FINISH OPTIONS

Natural Gas

STOVE HANDLE OPTIONS







85% EFFICIENCY

2.1kW


3.6kW





ENERGY EFFICIENCY CLASS D





A) 660mm

D) 689mm

E) 120mm


B) 635mm C) 144mm


DIMENSIONS

F) 403mm

G) 559mm H) 152mm

MANTEL DIMENSIONS





H) 75mm I) 60mm

A) 1320mm B) 1115mm

The Ravel 550 log fire is a revolutionary product.


2.9kW

The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low.

This 22" appliance installs into any standard 16" x 22" back panel and is shrouded with an aluminium high definition stove trim, so it's a perfect upgrade from your old 16" fire without changing the fireplace. Talk to your dealer for full details. The Ravel 550 is supplied with slide control as standard.

36 | GAS FIRES | RAVEL 550 HE INSET STOVE | F06






The Ravel 400 HE Log 16"x 22" is a high efficiency glass fronted fire suitable for class 1 and class 2 flues.

The Ravel HE Log is sure to impress, with its under log burners and stunning fuel bed layout. The unique burner system allows the fire to be turned to low whilst still retaining an impressive flame height.

This fire is available with two trim styles, the Black Nickel and Chrome or the striking Anthracite version. Also available as 4 sided HIW. See pages 42 & 43.

DIMENSIONS




- A) 512mm B) 403mm
 - F) 186mm G) 502mm

E) 197mm

- C) 610mm
- D) 555mm

MANTEL DIMENSIONS




- A) 1370mm
- E) 230mm F) 512mm
- B) 1370mm C) 1160mm


D) 400mm


G) 610mm





DIMENSIONS





A) 512mm F) 97mm G) 65mm

H) 198mm

D) 557mm I) 70mm

E) 186mm J) 502mm


*Note: For mantel details see page 39.

The Ravel 400 can now also be supplied as a slide control inset stove fronted product.

Employing the Ravel stove clean lines, our engineers have developed an aluminium, light weight trim which will transform your Ravel 400 into an inset gas log stove. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

40 GAS FIRES RAVEL 400 INSET STOVE F10







The Ravel 400 can now also be supplied as a slide control hole in the wall product.

The extremely successful black nickel and chrome frame has been used to create this four sided design, allowing a space saving and economical solution for your living room. Offering all of the features and benefits of the Ravel 400 product this log burner will never fail to impress.

DIMENSIONS





- F) 198mm B) 665mm

E) 33mm

G) 502mm

- C) 556mm
- D) 186mm



Balanced Flue

CONTROL

Slide

FUEL BED

Log

Chrome

Natural Gas

RAVEL TRIM OPTIONS











SLIDE LEVER OPTIONS







Ezi-Grip



GAS CONSUMPTION



Heat Input

Chrome









83% EFFICIENCY

Heat Output


FINISH OPTIONS


ENERGY EFFICIENCY CLASS D

The Ravel 400 is now available in balanced flue format. With the same intricately detailed logs and unique underlog burners this appliance is the perfect solution for economic heating in homes without a flue.

The product is available with the two standard Ravel 16" trims in Black Nickel and Chrome or Anthracite but can also be configured to be installed as a hole in the wall (HIW) see page 42, or as an inset stove—see page 40. The Ravel 400BF also employs the same controllability as the conventional flue version, allowing the fire to be turned to a low setting whilst still retaining an impressive flame height.

DIMENSIONS





F) 290-580mm

B) 394mm F*) 290-780mm

C) 611mm D) 553mm


G) Ø152mm H) 400mm

E) 197mm


I) 206mm J) 463.5mm


Note: F dimensions apply to optional longer flue kit (F-181XX2TKS)


44 GAS FIRES RAVEL 400 HE BF | F16



DIMENSIONS








*Precast flue/Rear vent kit is ordered separately.

Note: The Ravel 400C is now also available in Balanced Flue. See pages 50-51

This gas stove version features crisp and clean lines only possible with the light weight aluminium extrusion employed in this design. Suitable for use with Class 1,

46 GAS FIRES RAVEL 400C GAS STOVE F13 RAVEL 400C GAS STOVE | GAS FIRES | 47







The Ravel 400T gas stove is a beautiful timeless addition to any room. The product features all the benefits of the proven Ravel burner system.

The stove is easy to control with a simple slide lever located below the glass screen. It features a light weight aluminium casting which provides crisp and clean lines, aesthetics are at the heart of this product. The fire incorporates under-log burners to provide the most realistic effect, with a unique turndown feature allowing the rear burners to be turned off independently to keep the flame picture alive when running on low. And, just like the Ravel 400C, it can be installed into Class 1, Class 2 and precast flues*. The Ravel 400T is also available as a balanced flue model (see pages 50-51).

DIMENSIONS






G) 320mm

I) 515mm

E) 100mm

*Precast flue kit is ordered separately.

CHAMBER DIMENSIONS



as a package with either the 400C or 400T gas stoves. The mantel

B) 450mm

dimensions can be found on page 15. The package includes mantel, hearth, chamber and back hearth.

The Asti Chamber Suite can be ordered





Scan QR Code

FLUE OPTIONS

STOVE HANDLE OPTIONS







Note: Satin handle is supplied as standard on 400C models. Black handle is an optional extra.

GAS CONSUMPTION

83% EFFICIENCY

1.9kW










ENERGY EFFICIENCY CLASS D

The hugely successful Ravel 400 gas stoves will now be available as Balanced Flue versions. Both the 400C and 400T models can now be installed into a property with no chimney.

The products feature all the benefits of the Ravel gas fire range, with under-log burners and a turndown function which keeps the flame picture alive on low setting. A false vertical flue kit is also available as an option to create the authentic look of a chimney installation. The Asti 750 Chamber Suite is also available to order as a complete package – see page 49 for full details.

Dimensions





400C BF

C) 502mm

- B) 580mm
- E) 290-580mm
 - H) 483.5mm I) 320mm

G) Ø151.5mm

I) 320mm

C) 502mm F) 289mm

Note: A vertical false flue kit is also available as an optional extra.



CONTROL













GAS CONSUMPTION

86% EFFICIENCY









Heat Input (High)

Heat Input

Heat Output

Heat Output (Low)


ENERGY EFFICIENCY CLASS C

The BF960SL balanced flue gas fire is suitable for homes without a chimney.


This versatile and efficient slimline hole in the wall fire can be installed onto any outside wall of the home and generates a contemporary and stylish centrepiece for the room. This appliance can be installed directly into a cavity wall yet provides probably the deepest fuel bed effect for a product of its type. Coupled with a reflective black glass lining, this gas fire delivers the ultimate dancing flame effect and ceramic log layout.

Dimensions





APPLIANCE



- A) 1198mm
- G) 29mm

J) 523mm

- B) 666mm H) 183mm I) 151mm C) 1138mm
- D) 608mm
- E) 174mm
- K) 862mm F) 13mm L) 332mm
- M) 270mm -725mm
- N) 400mm
- O) 206mm

52 GAS FIRES BF960SL F11 BF960SL | GAS FIRES | 53



CONTROLS



STANDARD TRIM OPTIONS





Contemporary trim includes front bars. Trims can be purchased without front bars. For more details see page 74.

CREATIVE TRIM OPTIONS







Black

PROFILE TRIM OPTIONS



Slide Manual Electronic Coal





SLIDE LEVER OPTION

Black Profile

Black

Profile

ENERGY EFFICIENCY CLASS C



Heat Input


4.2kW

(High)



Heat Output

DIMENSIONS



The Thermes is our high efficiency balanced flue gas appliance.


Bl.Nickel/

If you have no flue or chimney in your home you will need a balanced flue gas fire. The Thermes is a room sealed high efficiency gas fire that really delivers. This fire flues through an external wall and can be installed in most new or existing fireplaces.

Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 74.

SLIDE CONTROL

GAS CONSUMPTION



86% EFFICIENCY

MANUAL CONTROL

Heat Output

A) 510mm B) 406mm

G) Ø151.5mm

C) 605mm D) 552mm

H) 405mm I) 206mm

E) 191mm J) 463.5mm

F) 290-570mm

54 | GAS FIRES | THERMES | FO7

Ellipsis



The Ellipsis 'Hole in the wall' with Chrome/Black trim. Open fronted in

FLUE OPTIONS

















FUEL

FUEL BEDS **Open fronted only

Chrome/

Black



4 Sided

Satin/Black



4 Sided

Chrome/Black

ELLIPSIS TRIM OPTIONS









GLASS FRONTED

Dimensions

OPEN FRONTED

A) 512mm D) 553mm B) 403mm E) 173mm

C) 660mm F) 104mm

G) 358mm

A) 512mm

(HIW)

C) 607mm (3 Sided)

- B) 403mm
- C) 660mm (HIW)
- C) 607mm (3 Sided)

BALANCED FLUE

- D) 553mm
- E) 198mm
- F) 174mm
- G) 358mm

hearth mounted version

Also available in 3 sided for

Satin/

Black

This beautifully styled hole in the wall appliance produces a powerful output.

Its warmth will transform your living environment. The Ellipsis is suitable for Class 1 and Class 2 flue types and is available in Coal or Pebble**. The Ellipsis is available in open fronted or glass fronted HE format. The Ellipsis open fronted has a pebble option. This product is only available as manual control.

The Wildfire Ellipsis combines style, efficiency and space saving to provide the ultimate solution for an open fronted gas or glass fronted fire. If you are looking for realism coupled with powerful heat whilst retaining efficiency then this is the product for you.

For inputs and outputs and efficiency classes refer to the relevant pages as below:

OPEN FRONTED

(REFER TO MONTESE - PAGE 71)


GLASS FRONTED

(REFER TO CRESSIDA - PAGE 65)

BALANCED FLUE

(REFER TO THERMES - PAGE 55)

GAS CONSUMPTION



F) 290-570mm A) 510mm

B) 406mm C) 605mm

G) Ø151.5mm

H) 405mm

D) 552mm

I) 206mm E) 191mm

J) 463.5mm

56 GAS FIRES | ELLIPSIS | FO2 | FO5 | FO7

NOTE: GRANITE SLIPS **NOT** INCLUDED




FLUE OPTIONS Brick Pre-Fabricated *When ordered as PCF model Natural Gas GAS CONSUMPTION 75% EFFICIENCY 1.9kW Heat Input **Heat Output Heat Output**

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.


Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS



- A) 800mm D) 165mm (Standard) E) 55mm (PCF)
 - F) 553mm
- C) 620mm E) 110mm (Standard)
- B) 520mm D) 220mm (PCF)

MANTEL DIMENSIONS



- A) 1250mm E) 225mm (Standard)
- E) 280mm (PCF)
- F) 165mm (Standard)
- D) 400mm F) 220mm (PCF)

I) 60mm J) 99mm

G) 803mm

H) 624mm

58 | GAS FIRES | HE 950L ASTI SUITE | F09



FLUE OPTIONS STANDARD MANTEL FINISH OPTIONS Brick Pre-Fabricated *When ordered as PCF model

Natural Gas

Seville Suite available with or without Grey inner border.

GAS CONSUMPTION

75% EFFICIENCY










Heat Output

The new HE950L (STD & PCF) is the perfect appliance to bring your fireplace to life.

Just like the HE900, its predecessor, this fire fits into your standard 16" x 22" builders opening or precast flue if the PCF version is ordered. No building work, lintels, mess or costly installation. The fabric of your home will remain intact but you will benefit from a landscape, large format gas fire with beautifully crafted logs and colourful dancing flames. Ask your retailer for the different fireplace design options available with the HE950L, they will be able to deliver a suite to compliment the style of your living room.

DIMENSIONS




A) 800mm D) 165mm (Standard) E) 55mm (PCF)

F) 553mm

B) 520mm D) 220mm (PCF)

C) 620mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard) G) 803mm

H) 624mm


B) 1320mm E) 290mm (PCF)

C) 967mm F) 165mm (Standard)


D) 400mm F) 220mm (PCF)

60 | GAS FIRES | HE 950L | F09 HE 950L | GAS FIRES | 61





DIMENSIONS




D) 165mm (Standard) E) 55mm (PCF)

F) 553mm

B) 640mm D) 220mm (PCF)

C) 740mm E) 110mm (Standard)

MANTEL DIMENSIONS



A) 1320mm E) 235mm (Standard) G) 663mm

B) 1320mm E) 290mm (PCF)

H) 744mm

C) 1159mm F) 165mm (Standard)

D) 400mm F) 220mm (PCF)

The HE900 is the flagship model from Wildfire, the ultimate in fireplace technology.

The HE900 gas fire is revolutionary. It has been developed to create a European format appliance with expansive viewing glass that can be installed into a conventional 16" x 22" fireplace opening without any modification, or precast flue where the PCF version is ordered. This patent pending product is designed to fit UK fireplace openings with no need to alter the fabric of the building.

The HE900 features a stunning log and ember bed, easily controlled with a slide operating system which comes as standard. Finally, the ultimate fireplace solution has arrived...

The Avellino micro marble suite is available in white or white with grey border.



CONTROLS

FUEL




GAS CONSUMPTION

2.9kW



87% EFFICIENCY

DIMENSIONS



E) 198mm

B) 403mm F) 174mm

C) 607mm G) 358mm

D) 553mm

Brick Chimney Pre-Fabricated Slide Manual Electronic Coal

STANDARD TRIM OPTIONS PROFILE TRIM OPTIONS

Contemporary trim includes front bars. Trims can be

purchased without front bars. For more details see page 74.

CREATIVE TRIM OPTIONS SLIDE LEVER OPTIONS







Profile



Profile



Profile



Profile

Ezi-Grip

ENERGY EFFICIENCY CLASS C

The Cressida HE is a high efficiency glass fronted appliance suitable for Class 1 and Class 2 flues.

The most powerful gas fire in the Wildfire range, with its deep bed and powerful output this appliance provides the ultimate in performance and style.

The flagship Cressida HE is supplied in either manual or slide control. The slide control features the latest patent pending Direct Slide technology. Remember, once you have chosen your appliance, you can decide how it looks by selecting trim and fret options. See the trim options below and in more detail on page 74.



STANDARD TRIM OPTIONS

Contemporary trim includes front bars. Trims can be

CREATIVE TRIM OPTIONS

purchased without front bars. For more details see page 74.

Black



FUEL



Heat Input (High)





GAS CONSUMPTION

Heat Output

84% EFFICIENCY

SLIDE LEVER OPTIONS

Black

Profile

PROFILE TRIM OPTIONS



Profile

Profile


ENERGY EFFICIENCY CLASS D

The Pesaro HE is a high efficiency glass fronted appliance suitable for Precast, Class 1 and Class 2 flues.

When the most important factor is heat, then the Pesaro mid-depth high efficiency gas fire will deliver. The fire can be fitted with an additional spacer to reduce the effective depth of the appliance.

The Pesaro HE is available in slide control as standard.

DIMENSIONS



A) 512mm

E) 128mm

B) 352mm C) 607mm F) 111mm

G) 350mm

D) 553mm

66 GAS FIRES PESARO HE F04



CONTROLS

Slide Manual Electronic

FUEL

Natural Gas

6.75kW

3.5kW

1.8kW

DIMENSIONS



GAS CONSUMPTION

SLIDE LEVER OPTIONS

Profile

Profile

PROFILE TRIM OPTIONS



Profile

ENERGY EFFICIENCY CLASS F




Profile

The Cavello XE is a realistic open fronted gas fire with a powerful convecting heat exchanger to boost performance.

The Cavello is supplied with the XE System as standard, see page 9 for more details. This convector appliance will produce enough heat to satisfy most of the largest living rooms. It is available in manual and slide control with options of coal and pebble fuel bed effects.

The Wildfire Cavello XE can be supplied with a range of trims to suit the style that you are trying to achieve. See full trim options on page 74.

Black



A) 512mm

E) 198mm

B) 402mm C) 607mm

F) 130mm G) 355mm

D) 553mm

68 GAS FIRES CAVELLO XE F03



Black

CONTROLS

FUEL BED

PROFILE TRIM OPTIONS

Black

Profile

Black

Profile

SLIDE LEVER OPTIONS



Black

Profile





Black

Profile




STANDARD MANTEL

FINISH OPTIONS

available with or without grey inner border.

DIMENSIONS



E) 173mm

- B) 403mm
 - F) 104mm
- D) 553mm

G) 328mm C) 607mm

GAS CONSUMPTION

The Montese is an authentic looking coal effect gas fire, where realism is the most important factor.

Black

STANDARD TRIM OPTIONS

Contemporary trim includes front bars. Trims can be

purchased without front bars. For more details see page 74.

By utilising the broad range of trims that Wildfire provides, you can choose the mood of your room from contemporary to traditional. It is available with pebble and coal fuel bed options and offers an impressive radiant heat output.

The Wildfire Montese is available in manual and slide control. See page 74 for full trim specifications.

6.75kW 3.5kW Heat Input (Low)



Heat Output (High) Heat Output (Low)

ENERGY EFFICIENCY CLASS F

A) 1220mm B) 1220mm


F) 45/75mm G) 413mm

C) 1095mm D) 400mm

H) 565mm

E) 210mm

MONTESE | GAS FIRES | 71















Available with grey inner border. See similar detail on the Cadiz suite - page 48. Grey border option not available on 42"

Black

Black

STANDARD TRIM OPTIONS





Front bars are optional. For more details see page 74.

PROFILE TRIM OPTIONS





Profile

SLIDE LEVER OPTIONS






Black Profile



STANDARD MANTEL FINISH OPTIONS




E) 123mm

G) 300mm

- A) 512mm
- F) 65mm B) 352mm
- C) 607mm

D) 553mm






B) 1070mm (42")

1220mm (48")

C) 1050mm (42") H) 565mm 1095mm (48")



GAS CONSUMPTION

Heat Input (High)

3.5kW 1.7kW

Heat Output (High) Heat Output (Low)

ENERGY EFFICIENCY CLASS F

CERALIS | GAS FIRES | 73

D) 400mm E) 210mm

F) 45/75mm

G) 413mm

Trim Options

Choose the trim and fret options from the selection on this page. The Standard and Creative trim and fret options will fit **MOST** of the products in this brochure. The Ellipsis trim will fit manual control fires only. For further fret options consult your retailer.

SLIDE LEVER OPTIONS



STANDARD TRIM OPTIONS





Contemporary



Contemporary



Chrome











Black

Contemporary



Contemporary Brass/Black



CREATIVE TRIM OPTIONS



Chrome/Black



PROFILE TRIM OPTIONS







Chrome/Black



Note: Both available as 4 sided HIW & Inset Stove Fascia Option (see page 40)

Profile

ELLIPSIS TRIM OPTIONS




74 GAS FIRES | TRIM OPTIONS



Chrome/ Black





Ellipsis trim only suitable for manual control appliances

RAVEL 550 TRIM OPTIONS



Brass/Black



Satin/Black

Contemporary

Satin/Black















RAVEL 400 TRIM OPTIONS







Anthracite

16" SPACER OPTION



AN ADDITIONAL 25MM SPACER IS AVAILABLE TO SUIT ALL 16" X 22" FIRES.

Technical Information

Use the chart below to quickly check the options available for each product contained in this brochure. You will also find the flue types which products can be installed into. For further information consult the manufacturer's installation instructions or ask your local retailer for further advice.

PAGE NO.	FIRES	COAL OPTION	PEBBLE OPTION	LOG OPTION	MANUAL CONTROL	SLIDE CONTROL	PRE-CAST FLUE	CLASS II FLUE	CLASS I FLUE	BALANCED FLUE	XE INCLUDED	XE OPTIONAL	HE	LPG OPTION
10-11	RAVEL MW 1500			✓		✓				✓			✓	
12-13	RAVEL MW 1720			✓		✓				✓			✓	
14-17	RAVEL 750			✓		✓		✓	✓				✓	
18-23	RAVEL 800			✓		✓		✓	✓				✓	
24-25	RAVEL 800 BF			✓		✓				✓			✓	
26-31	RAVEL 600			✓		✓		✓	✓				✓	✓
32-33	RAVEL 600 BF			✓		✓				✓			✓	
34-37	RAVEL 550			✓		✓		✓	✓				✓	
38-43	RAVEL 400			✓		✓		/	✓				✓	✓
44-45	RAVEL 400 BF			✓		✓				✓			✓	
46-49	RAVEL 400C & 400T STOVE			✓		✓	✓	✓	✓				✓	✓
50-51	RAVEL 400C/T BF STOVE			✓		✓				✓			✓	
52-53	BF960SL			✓		✓				✓			✓	
54-55	THERMES BF	✓			✓	✓				✓			✓	
56-57	ELLIPSIS HIW	✓	✓ *		✓			✓	✓	✓		✓	* **	
58-61	HE950L (STD & PCF)			✓		✓	✓	/	✓				✓	
62-63	HE900 (STD & PCF)			✓		✓	✓	✓	~				✓	
64-65	CRESSIDA HE	✓			✓	✓		/	✓				✓	
66-67	PESARO HE	✓				✓	✓	✓	✓				✓	
68-69	CAVELLO XE	✓	✓		✓	✓		✓	✓		✓			
70-71	MONTESE	✓	✓		✓	✓	✓	✓	✓			✓		
72-73	CERALIS	✓	✓		✓	✓	✓	✓	✓			✓		

*Open fronted only **Glass fronted only

TRIM OPTIONS | GAS FIRES | 75

Some things you need to know

All of our electric appliances provide up to 2kW of instantaneous heat. At the push of a button, or from a programmed timer, this clean convected heat will power warmth into your room whenever you need it.

A mesmerising flame effect completes these beautiful products. With stunning log arrangements and a choice of three levels of flame control and up to five brightness/intensity levels. The vibrant flame effects provide that feeling of comfort even when the heat is not switched on. The flame effect system is a safe convenient and efficient design which uses only LED technology to ensure that running costs in flame only mode are extremely low.

The Wildfire range of suites couple this electric fire technology with exquisite micro marble fireplaces. Available in a range of colours (see page 86) these suites all allow a flat to wall installation*



*The Panama E22 and Ravel E16 installed in the Salvador suite require a spacer frame (supplied separately) to allow flat to wall installation. If no spacer is required for this suite then a 65mm recess for the width and height of the appliance is required.



We guarantee* our electric fire products for a period of 1 year from installation and our customer service staff are The distinguishing feature of a

flame effect electric fire is the

ability to provide a 'feel warm' comfort level with its' mesmerising

glow at any time of the year. An

energy efficient way to produce

heat can be called upon on those

colder evenings when its just not

the central heating.

practical or cost efficient to turn on

a stunning effect with minimal running costs. The instantaneous

Our 1 year guarantee* is managed directly by Wildfire through our extensive network of service centres throughout the UK. Choose Wildfire for style, performance, reliability, value and peace of mind.

always on hand to help you with any query you may have

with your product.



The multifunction remote control handset provides ultimate controllability for your electric appliance. From 'Normal' operating mode where the appliance will run continually until the required temperature is set, to daily or weekly timer settings to give you complete control over the heating function.

A countdown timer is also included so the unit can be automatically be powered down after a predetermined length of time.

This beautifully styled remote features an internal thermostat to ensure it senses the right temperature in the room. An LCD display features all of the control functions available including flame setting and flame intensity.
















STANDARD MANTEL FINISH OPTIONS





Available with grey inner border - see similar detail on the Seville Suite - page 60.

DIMENSIONS



- A) 1320mm B) 1320mm
- E) 235mm

G) 740mm

F) 660mm

For full technical and dimensional specifications refer to pages 86 and 87.

The HE900E Avellino is a 52" flat to wall marble electric fireplace suite.

This fully electronic remote control fireplace offers 7 day thermostatic operation. The suite is available in all white or white with a distinctive grey highlight. A variety of flame effects provide a great solution to suit the mood for the day.

78 | ELECTRIC FIRES | HE 900E HE 900E | ELECTRIC FIRES | 79









STANDARD MANTEL FINISH OPTIONS








Available with grey inner border - see similar detail on the Seville Suite - page 60.

DIMENSIONS



G) 621mm

B) 1320mm C) 967mm

E) 235mm

F) 800mm

For full technical and dimensional specifications refer to pages 86 and 87.

The HE950LE Seville is a 52" flat to wall marble electric fireplace suite.

This incredible fireplace has been launched to complement the already successful, multi award winning HE950L Seville gas suite. It is available in the same flawless micro marble colour options, white or white with grey slip highlights. The appliance is fully thermostatic and has timers to allow heating to take place at the appropriate times.

HE 950LE | ELECTRIC FIRES | 81







STANDARD MANTEL FINISH OPTIONS



PANAMA TRIM OPTIONS





Black





Black






Black



DIMENSIONS



E) 230mm

G) 611mm

F) 614mm

For full technical and dimensional specifications refer to pages 86 and 87.

The Panama E22 Salvador is a 54" micro marble electric fireplace suite, available in all white.

The Panama E22 can be supplied with numerous trim options, from the black anthracite or the two tone anodised range featuring brass, satin, chrome, black nickel & the new black nickel/chrome effect. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features. For full information on the remote system refer to page 86.

This product can be installed onto a flat wall if a 65mm spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details.

82 | ELECTRIC FIRES | PANAMA E22 PANAMA E22 | ELECTRIC FIRES | 83



FUEL







Electric

STANDARD MANTEL FINISH OPTIONS




RAVEL TRIM OPTIONS



Bl.Nickel/ Chrome



DIMENSIONS



- G) 611mm

- E) 230mm F) 512mm
- For full technical and dimensional specifications refer to pages 86 and 87.

The Ravel E16 Salvador is a 54" micro marble electric fireplace suite, available in all white.

The Ravel E16 can be supplied with either a black anthracite or a black nickel and chrome trim option. The fireplace can be installed onto a flat wall if a spacer (available separately) is fitted. Alternatively a recess behind the fireplace can be made to accept the appliance rear section, talk to your retailer for further details. The appliance is a fully electronic remote control fireplace offering a 7 day thermostatic operation. A variety of flame effects can be selected using the digital remote control, along with a whole range of other programmable features.

RAVEL E16 | ELECTRIC FIRES | 85

Marble and Trim options electrical

	AVELLINO HE900E	SEVILLE HE950LE	AVELLINO PANAMA E22	SALVADOR PANAMA E22	SALVADOR E16
MARBLE COLOURS	W / WG	W / WG	W / WG	W	W
TRIM OPTION	As pictured	As pictured	Br / Sa / Ch / An / BN	Br / Sa / Ch / An / BN	Br / Sa / Ch / An / BN
REMOTE CONTROL	Yes	Yes	Yes	Yes	Yes
THERMOSTATIC	Yes	Yes	Yes	Yes	Yes
PROGRAMMABLE TIMER	Yes	Yes	Yes	Yes	Yes
FLAME COLOUR SETTINGS	3	3	3	3	3
FLAME INTENSITY SETTINGS	5	5	5	5	5
MAX HEATER OUTPUT	2kW	2kW	2kW	2kW	2kW
SPACER OPTION FOR FLAT-WALL FIX	N/A	N/A	N/A	Yes	Yes

Marble Colours: W: White WG: White with Grey Slips

Trim Options: Br: Brass/Black Sa: Satin/Black Ch: Chrome Black An: Anthracite BN: Black Nickel/Black





TRIM OPTIONS











Sales Enquiries sales@hearthproducts.co.uk

Technical Enquiries customerservice@hearthproducts.co.uk

Telephone 01785 225401

Fax 01785 225501

HEARTH PRODUCTS

Hearth Products Ltd, Unit 14 Brindley Close, Tollgate Industrial Estate, Stafford ST16 3SU



www.wildfiregas.co.uk www.wildfireelectric.co.uk

Scan the QR code with your mobile device to be directed to the Wildfire website.













to constant product improvement. Always check specifications with your retailer prior to purchase.

All details in this brochure are for illustrative purposes only. We reserve the right to change details due



